HP LaserJet Pro 4001dw Printer



Get blazing fast printing speeds and easy management tools with LaserJet Pro.

Get blazing fast printing speeds and easy management tools with LaserJet Pro.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds







Maximum productivity

- Support your dynamic workteam with this high-speed printer, ideal for up to 10 users.
- Step up your workflow. HP Pro-class print speed reaches up to 42 ppm to meet high-demand environments.¹
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app. ²
- Don't wait for printjobs. With no warm up time your printer is always ready.

Seamless management.

- Centralize your print management. HP Web Jetadmin makes it easy with its suite of features.
- Set up your printers quickly. Streamlined setup makes it easy to set up and get back to business
- Avoid interruptions with Wi-Fi® that intelligently looks for more stable connection to stay on-line ⁸

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager.

Product walkaround

HP LaserJet Pro 4001dw Printer

- 1. Print speeds up to 40 ppm A4
- 2. Automatic 2-sided printing
- 3. High-speed USB port, build in fast Ethernet
- 4. Pre-configured security settings
- 5. Designed for worksteams of up to 10 users



Accessories, Supplies and Support

| Supplies | W1020XC HIP W1020XC High Yield Black Contract Original LaserJet Toner Cartridge (Average cartridge yields 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.) |
|---------------------|---|
| | W1480A HP 148A Black Original LaserJet Toner Cartridge (Average cartridge yields 2,900 standard pages. Declared yield value in accordance with ISO/IEC 19752.) |
| | W1480X HP 148X High Yield Black Original LaserJet Toner Cartridge (Average cartridge yields 9,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.) |
| Accessories | D9P29A HP LaserJet Pro 550-sheet Feeder Tray |
| Service and Support | U42HDE HP 2 year Next Business Day Service for Laser Jet Pro 400x U42HFE HP 3 year Next Business Day Service for Laser Jet Pro 400x U42HJE HP 2 year 4 hour 9x5 Service for Laser Jet Pro 400x U42HJE HP 3 year 4 hour 9x5 Service for Laser Jet Pro 400x U42HKE HP 3 year 4 hour 9x5 Service for Laser Jet Pro 400x U42HQE HP 3 year Return to Depot Service for Laser Jet Pro 400x U42HRPE HP 1 year Post Warranty Next Business Day Service for Laser Jet Pro 400x U42HSPE HP 1 year Post Warranty 4 hour 9x5 Service for Laser Jet Pro 400x U42HVPE HP 1 year Post Warranty Return to Depot Service for Laser Jet Pro 400x U42HVPE HP 1 year Post Warranty Return to Depot Service for Laser Jet Pro 400x U9JT1E HP Installation Service w/Network Personal Scanner & Printer |

Technical specifications

| Teermieat Speed | |
|---|---|
| Model | HP LaserJet Pro 4001dw Printer |
| Product number | 22601F |
| Functions | Print |
| Control panel | 2-line LCD; OK button; Left button; Right button; Cancel button; Ready LED; Error LED; Wi-Fi LED (only for wireless bundle) |
| Print | |
| Print technology | Laser |
| Print speed ⁷ | Black (A4, normal): Up to 40 ppm ; Black (A4, duplex): Up to 34 ipm |
| First page out ⁹ | Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec |
| Print resolution | Black (best): Fine Lines (1200 x 1200 dpi); Technology, HP FastRes1200, HP ProRes1200, Economode |
| Monthly duty cycle | Up to 80,000 pages A4, Recommended monthly page volume: 750 to 4,000 |
| Printer smart software features ³ | Auto duplex and booklet printing, N-up printing, Collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types |
| Standard print languages | HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, PWG Raster |
| Fonts and typefaces | 84 scalable TrueType fonts |
| Print area | Print margins Top: 5 mm, Bottom: 5 mm, Left: 4 mm, Right: 4 mm; Maximum print area : 207.4 x 347.1 mm |
| Processor speed | 1200 MHz |
| Connectivity | |
| Standard | 1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b(g/n / 2.4 / 5 GH2 Wi-Fi radio + Bluetooth |
| Mobile printing capability | HP Smart App; Apple AirPrint**: Mopria** Certified; Wi-Fiº Direct printing |
| Supported network protocols | TCP/IP, IP-v4, IP-v6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint.**, Mopria, IPP Print; Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IP-v4 (BootP, DHCP, AutolP, Manual), IP-v6 (Stateless Link-Local and via Router, Statefull via DHCP-v6), SS Security and Certificate management; Management: SNMP-v1, SNMP-v2, SNMP-v2, SNMP-v2, SNMP-v3, HTTP/HTTPS, Syslog, FTP FW Download |
| Network capabilities | Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.11X (does not apply to D bundles) |
| Hard disk | None |
| Memory | Standard: 256 MB, Maximum: 256 MB |
| Media handling | -1 |
| Number of paper trays | Standard 2 Maximum: 3 |
| Media types | Paper (plain, ExoFFICENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels |
| Media size | Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 104.9 x 148.5 to 2165.9 x 356.6 mm |
| Media handling | Standard Input: 100-sheet multipurpose Tray 1, 250-sheet input Tray 2 Standard output: 150-sheet output bin Optional Input: Optional Input: 050-sheet tray |
| Media weight | Tray 1: 60 to 200 g/m²; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m² |
| Input capacity | Tray 1: Sheets: 100; envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 Maximum: Up to 900 sheets |
| Output capacity | Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets |
| Compatible operating systems | Windows 11; Windows 10; Android; IOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS |
| Compatible network operating systems | Windows Server; Linux; Citrix; UNIX; Novell |
| Minimum system requirements | Windows: 2 GB available hard disk space; Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac: 2 GB available hard drive space; Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com |
| Software included | No software solutions are included in the Box only on http://hp.com; http://123.hp.com |
| Security management | Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; wireless network security: WPA (Wi-Fi Protected Access) WPA2 WPA3, WEP encryption (64 and 128 bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers |
| Printer management | HP Printer Assistant; HP Web JetAdmin Software; HP JetAdwantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator) |
| Dimensions and weight | -1 |
| Printer dimensions (W x D x H) | Minimum 381 x 357 x 216 mm; Maximum 381 x 634 x 241 mm |
| Printer weight | 8.56 kg |
| Operating environment | Temperature: 10 to 32.5°C Humidity: 30 to 70% RH |
| Storage conditions | Temperature -2010 40°C |
| Acoustics | Acoustic power emissions: 6,6 B(A) Acoustic pressure emissions: 54 dB(A) |
| Power | Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier); Consumption: 495 watts (active printing), 5.5 watts (ready), 0.5 watts (sleep), 0.5 (vatto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off); Typical Electricity Consumption (TEC)* 0.36 kWh/Week (Blue Angel); 0.36 kWh/Week (Brergy Star 3.0); Power supply type: Internal (Bushira) Power supply. |
| Energy savings feature technology | HP Auto-On/Auto-Off Technology, Instant-on Technology, EcoSmart black toner; Power save |
| Certifications ¹ | Electromagnetic emission standard. (ISPR 32:2012 Class B / EN 55032:2012 Class B; CISPR 35:2016 / EN 55032:2012 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B ENFROY STARP* qualified; EPEAT* Subver registered. IT ECO Declaration But Angel Compiler *No, plasses refer to the ECI Cicclade Comparison Information) document |
| Sustainable impact specifications | Recyclable through HP Planet Partners; Compatible with Accessibility Accessories; Contains post-consumer recycled plastic |
| | Made in Philingines: Made in Vietnam |
| | Made in Philippines; Made in Vietnam |
| Country of origin What's in the box ² | Made in Philippines; Made in Vietnam 22601F Preinstalled HP Black Original Laser Jet Toner Cartridge; Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP & Wireless Only) |

Footnotes

¹Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

⁴HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

5HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart

⁶HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

linternet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting

9HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

Technical specifications disclaimers

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

- ² For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- ³ Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- 6 Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁸ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 9 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.











The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



au-en November 2023

