HP Series 7 Pro 34 inch WQHD Conferencing Monitor – 734pm (8K157AA)



Overview

Intelligent conferencing, ahead of the curve

Effortlessly make a great impression with built-in AI on the HP 34" WQHD Conferencing Monitor. Intelligent conferencing delivers productive, high-quality collaboration every time. And it's all on a dazzling ultrawide display with powerful Thunderbolt[™] 4.

Put your best self on display

Usher in a new era of intelligent conferencing with effortless AI experiences across any OS. Collaborate like you're face to face thanks to lifelike audio and visual clarity from the 5MP HDR AI webcam with integrated speakers so you can always conference with confidence.

IPS Block

Your vision, exactly as you dream it

Reimagine your creative process. Trust what's on screen straight from the box with factory-calibrated color accuracy on a brilliant display. Jump into the wide array of vivid, lifelike colors and rich contrast thanks to IPS Black, HDR400, 98% Display P3, and more.[2]

Productivity beyond measure

\$

This cutting-edge WQHD curved monitor provides an ultrawide canvas that makes maximum productivity effortless. Do more, uninterrupted, on more devices with this Thunderbolt[™] 4 monitor's incredible performance and advanced workflow features.[1]

Materials that make an impact

The better choice for a brighter tomorrow, this energy-efficient monitor is made with at least 90% recycled plastic content.[3] And with 100% sustainably sourced packaging[4], you can be confident knowing your monitor does good things for you and the planet.

Intelligent 5MP HDR AI Webcam

The integrated Poly Studio 5MP HDR AI webcam adapts to lighting conditions to always deliver superb camera quality. No matter the device you work on, the built-in AI collaboration tools ensure you're always ready to make a stellar first impression.

Full-Suite AI Experience

Collaborate confidently with a host of built-in AI webcam features. Auto framing keeps you front and center, background blur minimizes distractions, and auto lock and awake offers added security so you can focus on your conversation, not your tech.

AI Noise Reduction

Upgrade your conference call experience with HP AIbased noise reduction filters. Limit distractions including dogs, sirens, construction, and other meetings so you're heard loud and clear no matter what's happening around you.

Poly Studio Audio with DTS[®] Virtual:X™

Never miss a beat with the high-quality, immersive sound of 4 speakers with DTS[®] Virtual:X[™] technology — perfect for music, meetings, and more.

Ultrawide WQHD Display

Boost your productivity with ultrawide 34" curved monitor with 3440 x 1440 WQHD resolution — see all your projects in vivid detail on one expansive screen.

IPS Black Technology

View brilliant visuals from any angle with deeper colors, darker shadows, and brighter highlights with IPS Black. Enjoy a stunning 2,000:1 contrast ratio — twice that of a traditional IPS — and ultra-wide viewing angles.^[2]

[1] For full Thunderbolt[™] 4 functionality, host PC must support Thunderbolt[™] 4.

[2] All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.

[3] Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard. Plastics consist of 90% Post-Consumer Recycled, with 85% post-consumer recycled plastics + 5% Ocean-Bound Plastics (PET).

[4] 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

Specifications

Display size (diagonal)	34"	
Panel technology	IPS Black	
Display size (diagonal)	86.4 cm (34")	
Aspect ratio	21:9 ^[1]	
Native resolution	WQHD (3440 x 1440) ^[1,2]	
Resolutions supported	640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 1024; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440; 3440 x 1440	
Pixel pitch	0.23 x 0.23 mm ^[1]	
Brightness	400 nits ^[1]	
Contrast ratio	2000:1 ^[1]	
Response time (typical)	5ms GtG (with overdrive) ^[1]	
Minimum dimensions (W x D x H)	81.38 x 12.02 x 36.41 cm (without stand)	
Minimum dimensions (W x D x H)	32.04 x 4.73 x 14.33 in (without stand)	
Dimensions With Stand (W x D x H)	81.38 x 26.69 x 54.74 cm	
Weight	11.35 kg (with stand)	
Weight	25.02 lb	
Weight	(with stand)	
Display features	(with stand) Single Power ON; Anti-glare; AMD FreeSync [™] Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture- in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User Color recalibration	
	Single Power ON; Anti-glare; AMD FreeSync™ Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User	
Display features	Single Power ON; Anti-glare; AMD FreeSync [™] Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture- in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User Color recalibration	
Display features Onscreen controls	Single Power ON; Anti-glare; AMD FreeSync [™] Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture- in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User Color recalibration Color; Image; Input; Power; Menu; Management; Information; Split screen; Audio	
Display features Onscreen controls Display colors Display scan frequency	Single Power ON; Anti-glare; AMD FreeSync™ Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture- in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User Color recalibrationColor; Image; Input; Power; Menu; Management; Information; Split screen; AudioUp to 16.7 million colors supported	
Display features Onscreen controls Display colors Display scan frequency (horizontal)	Single Power ON; Anti-glare; AMD FreeSync™ Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture- in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User Color recalibrationColor; Image; Input; Power; Menu; Management; Information; Split screen; AudioUp to 16.7 million colors supported30-190 kHz	
Display features Onscreen controls Display colors Display scan frequency (horizontal) Display scan frequency (vertical)	Single Power ON; Anti-glare; AMD FreeSync™ Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture- in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User Color recalibrationColor; Image; Input; Power; Menu; Management; Information; Split screen; AudioUp to 16.7 million colors supported ^[1] 30-190 kHz ^[1] 30-120 Hz ^[1]	
 Display features Onscreen controls Display colors Display scan frequency (vertical) Display scan frequency (vertical) 	Single Power ON; Anti-glare; AMD FreeSync™ Premium; Integrated speakers; Curved display; HP Eye Ease; Integrated microphone; IPS Black; Device Bridge 2.0; Ambient light sensor; KVM switch; Daisy chain; Picture- in-Picture; Picture-by-Picture; Height adjustable; Tilt; Swivel; Presence detection sensor; Pantone validated; Factory color calibration; HP User Color recalibrationColor; Image; Input; Power; Menu; Management; Information; Split screen; AudioUp to 16.7 million colors supported ^[1] 30-190 kHz ^[1] Jo-120 Hz ^[1] Yes, 5MP HDR	

Operating humidity range	20 to 80% RH (non-condensing)	
Sustainable impact specifications	Low halogen; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 90% post-consumer recycled plastic; Made with 15% recycled steel; 90% recycled aluminum	
Certifications and compliances	BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; FCC; ISO 9241-307; KC; KCC; NOM; PSB; RCM; SEPA; TUV-S; UL/CSA; VCCI; WEEE; ISC; Low blue light; WW application; ICE; UAE; GS; Ukraine EE; Belarus EE; Korea MEPS; CEL Grade 2	
Physical security	Security lock-ready ^[4]	
Management Software	HP Display Center; HP Display Manager	
UPC number	(A2K) 197497775501; (A2N) 197497775518; (AB0) 197497775525; (AB1) 197497775532; (AB2) 197497775549; (AB4) 197497775556; (ABA) 197497775563; (ABB) 197497775570; (ABG) 197497775587; (ABJ) 4570101854032; (ABT) 197497775594; (ABU) 197497775600; (ABV) 197497775617; (ABY) 197497775624; (ACJ) 197497775631; (ACQ) 197497775648; (AH3) 197497775655; (AKL) 197497775662; (AR6) 197497775679; (UUF) 197497775686; (UUZ) 197497775693	
Manufacturer Warranty	HP three-year limited warranty	
What's in the box	Monitor; Thunderbolt™ cable; DisplayPort™ cable; HDMI cable; Warranty card; Quick Setup Poster; 1 USB Type-C® to Type-A cable; AC power cord; Color calibration report; VESA mount adapter ^[3]	

Additional specifications

Audio	DTS Virtual:X [™] certified	
Backlight lamp life	30,000 hours	
Backlight type	Edge-lit	
Base area footprint (imperial)	12.6 x 9.25 in	
Base area footprint (metric)	32 x 23.5 cm	
Bezel	3-sided borderless	
Camera features	Windows Hello support (IR Sensor); Pop-up privacy; HDR; Auto framing; Background blur; Auto Lock and Awake	
Certified collaboration software	Zoom	
Color gamut	100% sRGB; 98% Display P3	
Compatibility disclaimer 1	Power consumption of Desktop Mini PC varies per configuration, for the best user experience, please connect PC power cord while using USB-C [®] cable via Super Speed USB Type-C [®] port in the rear side of the platform.	
Country of origin	Made in China	
Curvature	1900R	
Datasheet photo 1	AHID/d0b55cfe7ece5a5613aa9d1a4f379d6139f44c2f	
Datasheet photo 2	AHID/5a94816afdd4389441e19dff9fdf24bdeadc7604	
Datasheet photo 3	AHID/bdcd18e4a7b2408406caa7896191790d30da9ed2	
Datasheet photo 4	AHID/400ca1b979cf4737f8713e3c7d88fa49b166a3f3	
Detachable stand	Yes	
Diagonal field of view (dFoV)	95.6° (RGB)	
Display area (imperial)	31.49 x 13.18 in	
Display area (metric)	79.98 x 33.48 cm	
DisplayPort™	1 DisplayPort™ 1.4	
DisplayPort™Out	1 DisplayPort™ 1.4-out	
Energy star certified	ENERGY STAR [®] certified	
Ethernet	1 RJ-45 (10/100/1000 Mbps)	
Flicker-free	Yes	
HDCP	Yes, DisplayPort™, HDMI, USB Type-C [®] and Thunderbolt™	
HDMI	1 HDMI 2.0	
HDR	VESA DisplayHDR™ 400	
Hardness	3H ^[1]	
Haze	25%	
Height adjustment range	150 mm	

Horizontal viewing angle	178°	
Low blue light	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified) ^[1]	
Max video resolution	2688 x 1944 at 30 fps	
Microphone	Yes (dual microphones with DNN noise cancellation)	
Operating temperature range	41 to 95°F	
Package dimensions (W x D x H)	95.2 x 22.6 x 48.5 cm	
Package dimensions (W x D x H)	37.48 x 8.9 x 19.09 in	
Package weight	38.4 lb	
Package weight	17.4 kg	
Panel bit depth	True 8 bit ^[1]	
Pixels per inch (ppi)	109 ppi ^[1]	
Power supply type	Internal	
Product dimensions with stand (W x D x H)	32.04 x 10.51 x 21.55 in	
Refresh rate (maximum)	120 Hz	
Remote manageability	Out-of-Band MAC Address Pass Through (MAPT); Out-of-Band Wake on LAN (WoL); PXE Boot	
Resolution (maximum)	WQHD (3440 x 1440 @ 120 Hz) ^[1]	
Screen treatment	Anti-glare	
Screen treatment Speaker output power	Anti-glare 4 x 3 W	
	-	
Speaker output power	4 x 3 W	
Speaker output power Stand color	4 x 3 W Black; Silver	
Speaker output power Stand color Technology logo 1	4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg	
Speaker output power Stand color Technology logo 1 Technology logo 2	4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08610271.png	
Speaker output power Stand color Technology logo 1 Technology logo 2 Technology logo 3	 4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08610271.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03123379.png 	
Speaker output powerStand colorTechnology logo 1Technology logo 2Technology logo 3Technology logo 4	4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08610271.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03123379.png	
Speaker output power Stand color Technology logo 1 Technology logo 2 Technology logo 3 Technology logo 4 Technology logo 5	 4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0810271.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03123379.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08717783.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.png 	
Speaker output powerStand colorTechnology logo 1Technology logo 2Technology logo 3Technology logo 4Technology logo 5Technology logo 6	4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0810271.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03123379.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08717783.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.png	
 Speaker output power Stand color Technology logo 1 Technology logo 2 Technology logo 3 Technology logo 4 Technology logo 5 Technology logo 6 Technology logo 7 	 4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0810271.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03123379.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08717783.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0893948.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0893948.png 	
Speaker output power Stand color Technology logo 1 Technology logo 2 Technology logo 3 Technology logo 4 Technology logo 5 Technology logo 6 Technology logo 7 Tilt	4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0810271.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08123379.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08717783.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08933948.png -5 to +20°	
Speaker output power Stand color Technology logo 1 Technology logo 2 Technology logo 3 Technology logo 4 Technology logo 5 Technology logo 6 Technology logo 7 Tilt UNSPSC code	4 x 3 W Black; Silver https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpg https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0810271.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08123379.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08717783.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.png https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0893948.png -5 to +20° 43211902	
Speaker output power Stand color Technology logo 1 Technology logo 2 Technology logo 3 Technology logo 4 Technology logo 5 Technology logo 6 Technology logo 7 Tilt UNSPSC code USB Type-A	4 x 3 WBlack; Silverhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0810271.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03123379.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08717783.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0893948.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08949501.png-5 to +20°432119025 USB Type-A 10Gbps signaling rate (1 charging with 7.5 W)1 Thunderbolt™ 4 with USB Type-C° 40Gbps signaling rate (up to 100 W USB Power Delivery, DisplayPort™ 1.4); 1 USB Type-C° 10Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.4); 1 Thunderbolt™	
Speaker output power Stand color Technology logo 1 Technology logo 2 Technology logo 3 Technology logo 4 Technology logo 5 Technology logo 7 Technology logo 7 Tilt UNSPSC code USB Type-C® video input	4 x 3 WBlack; Silverhttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08056676.jpghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0810271.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03123379.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08717783.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08733057.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08373057.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c0893948.pnghttps://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08949501.png5 to +20°432119025 USB Type-A 10Gbps signaling rate (1 charging with 7.5 W)1 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (up to 100 W USB Power Delivery, DisplayPort™ 1.4); 1 USB Type-C® 10Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.4); 1 Thunderbolt™ 4 Out for Daisy chain (15 W charging)	

Viewable diagonal size	34.14" (86.72 cm)
Windows Hello compatible	Yes
swivel	±10°

[1] All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

[2] DisplayPort m 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3440 × 1440 at 120 Hz with 8-bit color using one DisplayPort m or USB-C (DisplayPort m alt mode), Thunderbolt m . The video card of the connected PC must be capable of supporting 3440 × 1440 at 60 Hz and include 1 HDMI or 1 DisplayPort m outputs to drive the monitor at the Preferred Mode.

[3] Included cables may vary by country.

[4] Lock sold separately.

Accessories for PC

Stands/Mounting Brackets	★ : Recommended	
Mounting Brackets		
HP B560 PC Mounting Bracket	763U8AA	
HP Quick Release Bracket 2	6KD15AA	
Security		
Security Cables		
HP Business PC Security Lock v3 Kit	3XJ17AA	
Components/Upgrades		
Chassis/Rails		
HP Desktop Mini v4+ VESA Sleeve	99T54AA	

Disclaimer — Copyright

DisplayPort[™] and the DisplayPort[™] logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. Thunderbolt[™] and the Thunderbolt logo are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. PANTONE® is a trademark or registered trademark of Pantone LLC in the United States and/or other countries. AMD, Radeon, and FreeSync are trademarks of Advanced Micro Devices, Inc. ENERGY STAR® is a registered mark owned by the U.S. government. EPEAT® is a registered trademark of Green Electronics Council. For DTS patents, see http://patents.dts.com. Manufactured under license from DTS, Inc. (for companies headquartered in the U.S./Japan/Taiwan) or under license from DTS Licensing Limited (for all other companies). DTS, DTS:X, Virtual:X, and the DTS:X logo are registered trademarks or trademarks of DTS, Inc. in the United States and other countries. © 2024 DTS, Inc. ALL RIGHTS RESERVED.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – May 16, 2024 5:58 AM UTC+0000