



Professional MonochromeLaser Printer

Performance engineered to last

HL-L6210DW





www.brother.com.au

Professional Monochrome Laser Printer

The HL-L6210DW is a robust professional device engineered for continuous operation with long-lasting supplies and durable components. Get setup easily and focus on what matters most with a super-fast up to 50ppm print speed - high volume printing has never been so simple. With impressive scalability and industry-leading security comes performance engineered to last.

HL-L6210DW



Key features:

- Fast print speed of up to 50 pages per minute⁹
- · Automatic 2-sided (duplex) print
- First Page Out Time (FPOT) from 6.7 seconds¹⁰
- High-capacity 520-sheet paper input tray expandable up to 1,560 sheets⁶
- 100-sheet multi-purpose tray⁶
- Gigabit Ethernet, 2.4/5GHz Wi-Fi and Hi-Speed 2.0 USB connectivity
- 256MB internal memory
- Supports Airprint, Mopria and Universal Print
- Includes an up to 6,000 page¹¹ in-box toner
- Ultra-high capacity replacement toners available, up to 18,000 pages¹¹



Print for longer

The HL-L6210DW is designed to keep you printing for longer with an ultra-high capacity toner cartridge printing up to 18,000 pages¹¹ and includes an up to 6,000 page¹¹ in-box toner. Stay focused on your work with a paper input tray fitting 520 sheets⁶, expandable with optional paper input trays.



Impressive scalability

Engineered to fit into your workspace and meet specific printing requirements, the HL-L6210DW can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this printer means that it can expand its paper handling from 520 sheets to 1,560° sheets by adding optional paper trays.



Built to last

The HL-L6210DW sets the industry standard for longevity in a professional, high print volume environment. With a longer lasting drum unit and components designed for durability, you can be confident that it will keep up with your requirements, no matter how rigorous.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The HL-L6210DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Speed and performance

Boost your productivity with the HL-L6210DW and experience lightning-fast printing speeds of up to 50ppm⁹ with a First Page Out Time from 6.7 seconds¹⁰. This professional workhorse will make short work of your most demanding tasks.



Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.



Connect your way

Simplify your set up process using the Brother Mobile Connect app, unlocking business quality printing right from your mobile device. Connect easily and securely, your way with Gigabit ethernet, 2.4/5GHz Wi-Fi or Hi-Speed 2.0 USB connection.

| General | Mono Laser | Network Management Uti | |
|------------------------------------|--|---|--|
| Engine | Mono Laser | Network Management | Windows: BRAdmin Light, Web Base Management, BRAdmin Professional |
| Varranty | 1 Year Return To Base | | Mac: Web Base Management |
| Carton Contents | Printer, Quick Setup Guide, Power Cord, Black Toner Up | | Linux: Web Base Management |
| | to 6,000 pages in accordance with ISO/IEC 19752 Drum DR3605(Up to 45,000 pages: 1 page/job), Up to | Web Based Management | Web based print management software embedded onto the device |
| | 75,000 pages: 3 page/job | BRAdmin Professional ¹ | For LAN / WAN management using Windows® PC |
| CPU Speed | Main: Cortex-A53 1.2GHz Dual Core | Email Alerts | E-mail Notification and Reports |
| | Sub: ARM946 150MHz | Store Print Log to Network ⁴ | User level usage data recorded to either a text or csv file |
| Diamlay | | Ü | direct to a network folder |
| Display LED Display | Orange x 1 (Error), Green x 2 (Data, Wi-Fi) | | |
| | | | |
| LCD Display | 16 characters x 1 line | Mobile / Web Printing ⁷ | |
| Control Panel Switches | Go, Cancel, Secure, OK, Back, +, -, Wi-Fi, On/Off | iPrintScan ¹ | Windows/Mac (Print Only) |
| | | Mobile Connect ¹ | IOS/Android |
| Printer | | Universal Print ⁷ | Allows you to manage your printer fleet through cloud |
| Standard Memory | 256MB | | services from Microsoft without installing any additional |
| Print Speed ⁹ | Up to 50 ppm | Android Print Service Plugin | software. Print directly from your Android devices (Android 5.0 or |
| 2 Sided Print | Yes (Automatic) | Alidroid Fillit Service Flugili | later), to your Brother printer through a Wi-Fi or Wired |
| 2 Sided Print Speed ⁹ | Up to 24 ipm / 12 ppm (Mono, based on ISO/IEC 24734) | | network |
| Printer Resolution | 1200 x 1200dpi | AirPrint | Print most common file types from any Apple AirPrint |
| First Print Out Time ¹⁰ | Less than 6.7 secs (Ready), Less than 12.2 secs (Sleep) | | enabled application |
| Warm Up Time | Less than 5.5 sec from Sleep mode | Mopria ⁷ | Print most common file types from Mopria™ supported |
| | Less than 25 secs from Power ON | Google ChromoOS | Android devices Print from your Chromebook |
| Emulation | PCL6 (V3.0), BR-Script3, IBM Proprinter XL, Epson | Google ChromeOS | Print from your Chromebook |
| | FX-850, PDF Version 1.7, XPS Version 1.0 | | |
| Resident Fonts | PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts | | |
| Resident Font BR-Script 3 | 66 scalable fonts | | |
| Resident Font PCL | 73 scalable fonts, 12 bitmap fonts, 16 bar codes | | |
| Resident Barcodes | | Software | |
| Resident Barcodes | Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, | Printer OS Compatibility ³ | Windows 11, Windows 10 (32&64bit), Windows Server |
| | Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, | , | 2022, Windows Server 2019, Windows Server 2016, |
| | set B, set C), EAN128 (set A, set B, set C), Code93, | | Windows Server 2012/R2 (64bit) MacOS 11-14 ³ |
| | GS1Databar, MSI | | Linux RPM, DEB |
| Quiet Mode | A mode to reduce the printing noise by reducing the | | |
| | print speed | Software Available | Windows: Paperport 14SE ¹ and OCR, iPrint&Scan ¹ , Status Monitor, BRAdmin Light ¹ , BRAdmin |
| | | | Professional ¹ , Driver Deployment Wizard ¹ |
| Connectivity | | | Mac: iPrint&Scan ¹ |
| Interface | Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T | B | NI d A L D L D' LD GL AAG L (AA) |
| | Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz | Printer Driver Functions | N in 1, Auto Duplex, Print Profiles (Windows/Mac) Poster, Header-Footer, Watermark, Booklet, Skip Blank |
| | IEEE 802.11a/n Wireless, Wi-Fi Direct | | Page, Print Archive, Print Text in Black (Windows Only) |
| USB Interface | Hi-Speed USB 2.0 | Manual Dunlan | The consistency of the state of the constant o |
| Wired Interface | 10Base-T/100Base-TX/1000Base-T Ethernet | Manual Duplex | The machine prints all the even-numbered pages on one side of the paper first. Then, the printer driver instructs |
| Wireless Interface | 2.4GHz IEEE 802.11b/g/n Wireless 5GHz IEEE 802.11a/n Wireless | | you (with a pop-up message) to reinsert the paper to |
| | | | print the odd-numbered pages |
| Wireless Mode | 2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11g/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) | Watermark Printing ⁴ | Watermark your documents with predefined text or with |
| Wireless Setup Support Utility | Wi-Fi Protected Setup (WPS) | Watermark Finning | your own user-defined messages |
| , | | | |
| Wi-Fi Direct | IEEE 802.11g/n (Wi-Fi Direct) | Archive Printing ⁴ | When this feature is enabled, a PDF file of your print job |
| Network Protocols IPV4 | ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ | | will automatically be created and archived |
| | NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ | Header and Footer Printing | Yes (Windows only) |
| | Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/ | , · · · · · · · · · · · · · · · · · | |
| | HTTPS server, TFTP client and server, SMTP Client, | N-up Printing⁵ | Windows / Mac |
| | SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS | Poster Printing ⁴ | Yes (Windows only) |
| Notucels Protocolo IDV6 | client, SNTP client, Syslog | rostei riiitiiig | les (vviridows orily) |
| Network Protocols IPV6 | NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, | Secure Print ⁵ | Use Secure Print to ensure that confidential or sensitive |
| | FTP Server, TELNET Server, HTTP/HTTPS server, | | documents do not print until you enter a password on the machines control panel |
| | TFTP client and server, SMTP Client, SNMPv1/v2c/ | | |
| | v3, ICMPv6, Web Services (Print), CIFS Client, SNTP | Carbon Copy | The ability to print multiple copies of the same print data |
| | Client, Syslog | | via driver by loading different colour or paper types into the paper trays |
| | | | and people days |
| Security | | Cerner Certified | Yes |
| Wireless Security Protocols | SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), | Limba Coludiana? | Optional (This Print Client Devend - Print Community |
| , | WPA2-PSK (TKIP/AES), WPA3-SAE (AES) (Wi-Fi Direct | Light Solutions ² | Optional (ThinPrint Client, Barcode Print+, Secure Print+) (Apply for Activation Code from Brother) |
| | supports WPA2-PSK (AES) only) | | , Abbit ion and and in an another |
| Wireless Certification | Wi-Fi Certification Mark License (WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark | Mass Deployment Tool ^{1,4} | A configuration tool to help you to install and manage |
| | | | multiple USB-connected or network-connected devices |
| | License, Wi-Fi CERTIFIED Wi-Fi Direct | | |
| IPv4-Filter | | | without having to install any additional software |
| IPv4-Filter | License, Wi-Fi CERTIFIED Wi-Fi Direct | Driver Deployment Wizard ^{1,4} | |

| Paper Handling ⁶ | | |
|------------------------------------|---|--|
| Standard Paper Capacity | Up to 520 sheets | |
| Multi-Purpose Tray Capacity | Up to 100 Sheets (Plain) / 11 (Envelopes @1mm thick) | |
| Envelopes Input | Up to 11 envelopes @1mm thick face down (MP tray only) output via rear | |
| Output Paper Capacity | Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) | |
| Media Size Paper Tray | A4, Letter, B5(JIS), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K | |
| Media Size Paper Tray (Option) | A4, Letter, B5(JIS), A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K | |
| Media Size MP Tray | Width 69.8 to 215.9 mm, Length 127 to 355.6 mm Envelope; COM-10, DL, C5, Monarch | |
| Media Size Duplex | A4 | |
| Media Types Paper Tray | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper | |
| Media Types Paper Tray (Option) | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper | |
| Media Types MP Tray | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick | |
| Media Types Duplex | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper | |
| Media Weights Paper Tray | 60 - 163 gsm, half speed and straight paper output with more than 105gsm | |
| Media Weights Paper Tray (Option) | 60 - 120 gsm, half speed and straight paper output with more than 105gsm | |
| Media Weights MP Tray | 60 - 230 gsm, half speed and straight paper output with more than 105gsm | |
| Media Weights Duplex | 60 - 105 gsm | |
| Media Low or Out Sensor | Low Paper: Std Tray NA, Opt Trays NA Empty Paper: Std Tray NA, Opt Trays Yes | |
| Consumables ¹¹ | | |
| In-box Consumables | Black Toner Up to 6,000 pages in accordance with ISO/IEC 19752, Drum DR3605(Up to 45,000 pages: 1 page/job) | |
| Standard-Yield Toner ¹¹ | Black Toner TN3605 Up to 3,000 pages in accordance with ISO/IEC 19752 | |
| High-Yield Toner ¹¹ | Black Toner High-Yield TN3605XL Up to 6,000 pages in | |

| Options | |
|--|--|
| Optional Paper Tray ¹³ | 250 sheets (LT-5505) x 2 or 520 sheets (LT-6505) x 2 (Max. 1,040 sheets) |
| Optional Warranty ¹⁴ | 1 or 2 or 3 Years On-Site |
| Options (ALL) | 250 sheets (LT-5505) x 2 or 520 sheets (LT-6505) x 2 (Max. 1,040 sheets) Card Reader Holder (CH-1000) |
| Weight & Measurements | |
| Size | 373(W) x 388(D) x 289(H)mm |
| Weight | 10.7 Kg without consumables 12.3 Kg with consumables |
| Size With Carton | 485(W) x 450(D) x 402(H)mm |
| Weight With Carton | 14.7 Kg with consumables |
| Environment | |
| Sleep Mode | Yes (0-50 min) |
| Power Consumption | Peak: 710W or less, Ready: 31W or less, Sleep: 5.5W, Deep Sleep: 0.5W or less |
| TEC Value | 0.59 kWh / Week |
| Noise Level | Sound Pressure Level: (Printing) Less than 54 dBA, (Standby) Less than 35 dBA Sound Power Level: (Printing) Less than 7.07 B, (Standby) Less than 4.9 BA, (QuietMode) Less than 6.54 B |
| Temperature | Operating: 10 - 32°C Storage: 0 - 40°C |
| Humidity | Operating: 20 - 80% (without condensation) Storage: 35 - 85% (without condensation) |
| Toner Save | This reduces the toner usage and helps to reduce the total cost of printer ownership |
| Power Save | This enables the printer to consume less energy when not in use |
| Others | |
| Recommended Monthly Print Volume ⁸ | 500 to 8,000 pages |
| | |

Options

- 1 Download from Brother Solutions Centre
- 2 Apply to activate
- 3 Via Airprint or iPrint&Scan

Super High-Yield Toner¹¹

Ultra High-Yield Toner¹¹

- 4 Windows only
- 5 Windows/Mac
- 6 Capacity calculated with 80g/m² paper
- 7 Must be connected to the internet
- 8 The recommended monthly print volume is to achieve the best possible performance and printer life
- 9 Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed) 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- 11 Approx. declared yield value in accordance with ISO/IEC 19752
- 13 Purchase optional tray required
- 14 Purchase optional onsite warranty required









accordance with ISO/IEC 19752

pages in accordance with ISO/IEC 19752 Black Toner Ultra High-Yield TN3615 Up to 18,000

pages in accordance with ISO/IEC 19752

Black Toner Super High-Yield TN3605XXL Up to 11,000 $\,$



All specifications correct at the time of

printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



